
































Type de toiture ou de bac	Dimensions trémies en cm	H hauteur costière	A	B	C	D	G	Lg moule
CANALIT ATLANTIQUE 	100 x 100	20	170	223	103	103	136,5	210
	140 x 140	20	220	212	143	143	181,5	220
CANALIT MEDITERRANEE 	100 x 100	20	170	205	103	103	136,5	209
	140 x 140	20	220	212	143	143	181,5	220
CANALIT 200 	100 x 100	20	170	204	103	103	136,5	210
	140 x 140	20	220	202	143	143	181,5	220
	140 x 140	20	210	202	143	143	176,5	210
CANALIT 235 	100 x 100	20	170	190	103	103	136,5	220
	140 x 140	20	215	167	143	143	179,0	215
	100 x 200	20	170	283	103	203	136,5	200
MAXIPLAQUE 	70 x 100	25	210	120	103	73	156,5	210
	100 x 200	25	220	315	103	203	161,5	220
	140 x 140	25	220	228	143	143	181,5	220
OAC 5 1/2 	50 x 50	20	160	92	53	53	106,5	170
	78 x 98	15	160	100	81	101	130,5	170,0
	78 X 98	AFT 20	180	230	123	123	151,5	240,0
	100 x 100	20	160	200	103	103	131,5	170
	100 x 150	20	160	220	103	153	131,5	245
	100 x 200	20	160	289	103	203	131,5	158
	100 x 200	30	160	300	125	248	131,5	170
	110 x 220	20	170	300	113	223	141,5	170
	120 x 120	20	180	230	123	123	151,5	240
	140 x 140	20	210	199	143	143	176,5	245
	160 x 160	20	230	269	163	163	203,0	230
180 x 180	20	240	265	183	183	211,5	260	
OAC 6 1/2 	50 x 70	20	160	106	73	53	116,5	250
	78 x 98	15	160	100	81	101	130,5	170
	78 X 98	AFT 20	180	175	123	123	151,5	240
	100 x 70	20	160	190	73	103	116,5	160
	100 x 100	20	160	225	103	103	131,5	245
	100 x 100	30	160	213	125	125	131,5	170
	100 x 150	20	160	230	103	153	131,5	245
	100 x 200	20	160	330	103	203	131,5	158
	100 x 200	30	160	300	125	248	131,5	170
	120 x 120	20	180	175	123	123	151,5	240
	140 x 140	20	210	220	143	143	176,5	245







Type de toiture ou de bac	Dimensions trémies en cm	H hauteur costière	A	B	C	D	G	Lg moule
ONDULINE 	140 x 140	20	200	250	143	143	171,5	200
PST 190 	107 x 107	20	170	192	110	110	140,0	220
PST 230 	140 x 140	20	210	192	143	143	176,5	220
	100 x 100	20	160	197	103	103	131,5	220
	100 x 200	20	160	280	103	230	131,5	160
SUPERONDE 	140 x 140	25	250	230	143	143	196,5	250
	100 x 100	25	250	210	103	103	176,5	250
PO 76/18 SINUS 18PO 76/18 	70 x 100	20	160	173	103	73	131,5	250
	100 x 150	20	160	196	103	153	131,5	250
	140 x 140	20	210	196	143	143	176,5	250
ASTRON 	100 x 100	20	160	180	103	103	131,5	200
	100 x 220	20	170	270	103	223	136,5	200
	140 x 140	20	210	180	143	143	176,5	210
BATIBAC 29T BATIREGUL 29T 	114 x 118	AFT 0	210	200	143	143	176,5	300
	114 x 118	AFT 20	210	200	143	143	176,5	300
	140 x 140	20	210	200	143	143	176,5	300
BATIBAC 36 T BATITHERMBATIBAC 36 T 	78 x 98	AFT 0	180	200	123	123	151,5	250
	78 x 98	AFT 20	180	200	123	123	151,5	250
	78 x 118	AFT 0	210	200	143	143	176,5	250
	100 x 100	20	160	200	103	103	131,5	250
	114 x 118	AFT 0	210	200	143	143	176,5	300
	114 x 118	AFT 20	210	200	143	143	176,5	300
	120 x 120	20	180	200	123	123	151,5	250
	140 x 140	20	210	200	143	143	176,5	300
	100 x 200	30	190	300	125	225	157,5	240




Type de toiture ou de bac	Dimensions trémies en cm	H hauteur costière	A	B	C	D	G	Lg moule
HAIRONVILLE 5.180.43 FREQUENCE 43 T 	140 x 140	20	220	200	143	143	181,5	300
HAIRONVILLE 3.333.39 T COLOR PROFIL 39.333.1000 COUVRESCO 3.1000.39 T HACIERCO 3.333.39 T ONDATHERM 201 (isol.) PROMISOL 1001 T (isol.) PROMISTYL FEU 3005 (isol.) ONDATHERM 1040 (isol.) NERVESCO 1040 TS (isol.) ARCLASTYL 3005 T (isol.) ARCLATHERM 1040 TS (isol.) PROMIFIBRE 3001 T (isol.) HAIRONVILLE 3.333.35 T NERVESCO 3.35.1000 PAB 1000.35 COVEO 3 39 COVEO 3 35	70 x 100	200	160	100	103	73	131,5	300
	78 x 98	AFT 0	180	200	123	123	151,5	300
	78 x 98	AFT 20	180	200	123	123	151,5	300
	78 x 118	AFT 0	210	200	143	143	176,5	223
	100 x 100	20	160	200	103	103	131,5	170
	100 x 100	30	190	200	125	125	157,5	300
	100 x 150	20	160	200	103	153	131,5	300
	100 x 150	30	190	300	125	225	157,5	230
	100 x 200	20	160	300	103	203	131,5	220
	100 x 200	30	190	300	125	225	157,5	230
	114 x 118	AFT 0	210	200	143	143	176,5	223
	114 x 118	AFT 20	210	200	143	143	176,5	223
	120 x 120	20	180	200	123	123	151,5	300
	120 x 120	30	210	200	145	145	177,5	300
	134 x 140	AFT 0	230	200	163	163	196,5	300
	140 x 140	20	210	200	143	143	176,5	223
	140 x 140	30	230	200	165	165	197,5	300
	140 x 160	30	230	200	165	185	197,5	300
	140 x 200	30	230	300	165	225	197,5	300
	150 x 180	20	220	200	153	183	186,5	300
160 x 160	20	230	200	163	163	196,5	300	
160 x 160	30	250	200	185	185	217,5	300	
167 x 207	20	230	300	163	203	196,5	245	
170 x 190	35	250	300	180	200	215,0	270	
180 x 180	20	240	200	183	183	211,5	300	
ISOCOPRE - LATTONEDIL 	100 x 100	20	160	200	103	103	131,5	270
	140 x 140	20	210	200	143	143	176,5	270
ISODUPLEX 1000 ISOCOP 1000 ISOPAN MARCEGAGLIA 4 250 40 LUMISO PGB TD5- TR5	78 x 98	15	160	100	81	101	130,5	220
	78 x 98	AFT 0	180	200	123	123	151,5	250
	78 x 98	AFT 11	160	100	81	101	130,5	220
	78 x 98	AFT 20	180	200	123	123	151,5	250
	100 x 100	20	160	200	103	103	131,5	250
	114 x 118	AFT 0	210	200	143	143	176,5	250
	114 x 118	AFT 20	210	200	143	143	176,5	250
	120 x 120	20	180	200	123	123	151,5	250
	100 x 200	20	160	300	103	203	131,5	250
	140 x 140	20	210	200	143	143	176,5	250
140 x 140	30	230	200	165	165	197,5	300	

Type de toiture ou de bac	Dimensions trémies en cm	H hauteur costière	A	B	C	D	G	Lg moule
EUROCOPE - LATTONEDIL 	100 x 200	30	190	300	125	225	157,5	250
JORIS 33 ECO 20/30 4.250.33 PML 33 	100 x 100	20	160	200	103	103	131,5	300
	114 x 118	AFT 0	210	200	143	143	176,5	300
	114 x 118	AFT 20	210	200	143	143	176,5	300
	140 x 140	20	210	200	143	143	176,5	300
JORIS - PANNEAU TUILE BATITUILE 	70 x 100	20	160	110	103	73	131,5	300
	78 x 98	AFT 0	195	228	123	123	146	250
	78 x 98	AFT 20	195	228	123	123	146,0	250
	78 x 118	AFT 0	195	228	143	143	145,5	250
	114 x 118	AFT 0	195	228	143	143	145,5	250
	114 x 118	AFT 20	195	228	143	143	145,5	250
	120 x 120	20	195	228	123	123	146,0	250
	140 x 140	20	195	228	143	143	145,5	250
KINGSPAN 	100 x 100	30	190	200	125	125	157,5	250
METECNO A/38 	100 x 100	20	160	200	103	103	131,5	300
	100 x 200	20	160	300	103	203	131,5	220
	100 x 200	30	190	300	125	225	157,5	240
	120 x 120	20	180	200	123	123	151,5	300
	140 x 140	20	210	200	143	143	176,5	300
	160 x 160	20	230	200	163	163	196,5	300
TECTONIA 1000 40 THERMASTEEL (isol) 	100 x 100	20	160	200	103	103	131,5	300
	140 x 140	20	210	200	143	143	176,5	300
	160 x 160	20	230	200	163	163	196,5	300

Type de toiture ou de bac	Dimensions trémies en cm	H hauteur costière	A	B	C	D	G	Lg moule
NERGAL 3.45.1000 TECTONIA 1000.45 FERGAL 1000x45 ISOSTEEL 1000 45 (isol.) COVERBAC 3.45.1000 NERTOIT 1000.45 K METAL COVEO 3 45 R 	70 x 100	20	160	100	103	73	131,5	300
	78 x 98	AFT 0	180	200	123	123	151,5	250
	78 x 98	AFT 20	180	200	123	123	151,5	250
	78 x 118	AFT 0	210	200	143	143	176,5	220
	100 x 100	20	160	200	103	103	131,5	250
	100 x 150	20	160	200	103	153	131,5	170
	114 x 118	AFT 0	210	200	143	143	176,5	220
	114 x 118	AFT 20	210	200	143	143	176,5	220
	120 x 120	20	180	200	123	123	151,5	250
	120 x 170	20	180	200	123	173	151,5	300
	134 x 140	AFT 0	230	200	163	163	196,5	250
	140 x 140	20	210	200	143	143	176,5	220
	140 x 140	30	230	200	165	165	197,5	300
	150 x 180	20	220	200	153	183	186,5	300
	160 x 160	20	230	200	163	163	196,5	250
	NERVESCO 3.45.1000 TS HAIRONVILLE 3.333.45 T NERTOIT 3.45.1000 T BACACIER 1000.3.45 N PROFILACIER 45 C JORRIS 45.333.1000 JI ROOF COBACIER 1003 PML 45 CS CISA 1000/45 C BATIREGUL PLASTIMETAL 45.333.1000 ONDATHERM 101 (isol.) BATIBAC 45T COVEO 3 45 	50 x 50	20	160	92	53	53	106,5
78 x 98		15	160	100	81	101	130,5	220
78 x 98		AFT 0	180	200	123	123	151,5	250
78 x 98		AFT 11	160	100	81	101	130,5	220
78 x 98		AFT 20	180	200	123	123	151,5	250
78 x 118		AFT 0	210	200	143	143	176,5	220
100 x 100		20	160	200	103	103	131,5	170
100 x 100		30	190	200	125	125	157,5	300
100 x 150		20	160	200	103	153	131,5	300
100 x 200		20	160	300	103	203	131,5	245
100 x 200		30	190	300	125	225	157,5	240
114 x 118		AFT 0	210	200	143	143	176,5	220
114 x 118		AFT 11	180	200	121	117	148,5	235
114 x 118		AFT 20	210	200	143	143	176,5	220
120 x 120		20	180	200	123	123	151,5	250
120 x 120		30	210	200	145	145	177,5	300
120 x 170		20	180	200	123	173	151,5	247
134 x 140		AFT 0	230	200	163	163	196,5	300
134 x 140		AFT 11	230	200	163	137	196,5	250
140 x 140		20	210	200	143	143	176,5	220
140 x 140		30	230	200	165	165	197,5	300
140 x 160		30	230	200	165	185	197,5	300
150 x 180		20	220	200	153	183	186,5	300
160 x 160		20	230	200	163	163	196,5	300
160 x 160		30	250	200	185	185	217,5	300
167 x 207		20	230	300	170	210	200,0	300
170 x 190	35	250	300	180	200	215,0	270	
180 x 180	20	240	200	183	183	211,5	300	
200 x 200	20	250	300	203	203	226,5	290	

Type de toiture ou de bac	Dimensions trémies en cm	H hauteur costière	A	B	C	D	G	Lg moule
ITAL COLPO - PANNEAU TUILE	160 X 160	20	160	110	103	73	131,5	270
NERVESCO 1050 TS 	100 x 100	20	160	210	103	103	131,5	300
	140 x 140	20	210	210	143	143	176,5	300
NERVESCO 4.35.1030 	100 x 100	20	160	206	103	103	131,5	300
	140 x 140	20	210	206	143	143	176,5	300
NOGUES 	140 x 140	20	210	164	143	143	176,5	215
PINGARD 1000 P 4/40/1000 	70 x 100	20	160	100	103	73	131,5	250
	140 x 140	20	210	200	143	143	176,5	300
	160 x 160	20	230	200	163	163	196,5	300
POLISTAMP 4.500.40 	160 x 160	20	230	200	123	123	176,5	300
TECTONIA 1000 35 ISOSTEEL 1000 35 (isol.) FIRESTEEL 	100 x 100	20	160	200	103	103	131,5	300
	120 x 120	20	180	200	123	123	151,5	300
	140 x 140	20	210	200	143	143	176,5	300

Type de toiture ou de bac	Dimensions trémies en cm	H hauteur costière	A	B	C	D	G	Lg moule
ISOBAC IT39 	140 x 140	30	230	200	165	165	197,5	300
ISOMETALL 2.500.37 	140 x 140	20	210	200	143	143	176,5	300
ISOMETALL 1000.37 VULCASTEEL 	78 x 98	15	160	100	81	101	130,5	220
	78 x 98	AFT 0	180	200	123	123	151,5	300
	78 x 98	AFT 20	180	200	123	123	151,5	300
	78 x 118	AFT 0	210	200	143	143	176,5	300
	100 x 100	20	160	200	103	103	131,5	300
	100 x 200	30	190	300	125	225	157,5	240
	114 x 118	AFT 0	210	200	143	143	176,5	300
	114 x 118	AFT 20	210	200	143	143	176,5	300
	114 x 118	20	180	200	123	123	151,5	300
	120 x 120	20	180	200	123	123	151,5	300
	140 x 140	20	210	200	143	143	176,5	300
	140 x 140	30	230	200	165	165	197,5	300
	170 x 190	35	230	300	180	200	205,0	270
ITALPANELLI PENTA COLOR PROFIL 1000 37 AGRIPLUS ISOTOIT 1000 TL BATISOL PROFIL C 	78 x 98	AFT 0	180	200	123	123	151,5	300
	78 x 98	AFT 20	180	200	123	123	151,5	300
	78 x 118	AFT 0	210	200	143	143	176,5	300
	100 x 100	20	160	200	103	103	131,5	300
	100 x 200	30	190	300	125	225	157,5	2500
	114 x 118	AFT 0	210	200	143	143	176,5	300
	114 x 118	AFT 20	210	200	143	143	176,5	300
	120 x 120	20	180	200	123	123	151,5	300
	140 x 140	20	210	200	143	143	176,5	300
	140 x 140	30	230	200	165	165	197,5	300
GLAMET 1000 (isol.) 	70 x 100	20	160	100	103	73	131,5	200
	100 x 100	20	160	200	103	103	131,5	215
	140 x 140	20	210	200	143	143	176,5	220
HUURE IBERICA HI-CT BATITHANE 	78 x 98	AFT 0	180	230	123	123	151,5	250
	78 x 98	AFT 20	180	230	123	123	151,5	250
	78 x 118	AFT 0	210	230	143	143	176,5	240
	100 x 100	20	160	230	103	103	131,5	300
	100 x 150	20	160	230	103	153	131,5	300
	114 x 118	AFT 0	210	230	143	143	176,5	240
	114 x 118	AFT 20	210	230	143	143	176,5	240
	120 x 120	20	180	230	123	123	151,5	250
	140 x 140	20	210	230	143	143	176,5	240

Type de toiture ou de bac	Dimensions trémies en cm	H hauteur costière	A	B	C	D	G	Lg moule
PERFRISA (isol.) 	140 x 140	20	208	180	143	143	175,5	208
TORNILLERIA 	100 x 100	20	160	200	103	103	131,5	260
	140 x 140	20	210	200	143	143	176,5	260
PERFIL GRECO 	140 x 140	30	230	200	165	165	197,5	300

